INDEX TO VOLUME 30 1995

Index to Authors and Contributors

AJOVALASIT, A. *Paper* Automated photoelasticity in white light: influence of quarter-wave plates, 29
APALAK, M. K. *Paper* Analysis and design of adhesively modified double-containment corner joints. Part 1, 91
APALAK, Z. G. *Paper* Analysis and design of adhesively modified double-containment corner joints. Part 1, 91

BARONE, S. *Paper* Automated photoelasticity in white light: influence of quarter-wave plates, 29
BATISTA, M. *Technical note* The stress concentration of an open rotating ring, 241
BECKER, A. A. *Paper* Contact mechanics analysis of frictional slip of inclusions embedded in dissimilar matrices using the boundary element method, 245
BEGHINI, M. *Paper* An account of plasticity in the hole-drilling method of residual stress measurement, 227
BERTINI, L. *Paper* An account of plasticity in the hole-drilling method of residual stress measurement, 227
BOWNESS, D. *Paper* A finite element study of stress fields and stress intensity factors in tubular joints, 135
BRENNAN, D. *Paper* Closed-form functions in elastic stress concentration factors in notched bars, 143

CHEN, J.-T. *Paper* Theoretical and experimental analysis of an arbitrarily inclined semi-infinite crack terminated at the bimaterial interface, 117
CHEN, T. Y. *Paper* Digital fringe multiplication in three-dimensional photoelasticity, 1
CIAVATTI, V. *Paper* Simply supported annular plates transversely loaded by a concentrated force applied at an arbitrary point, 211

DAGBASI, M. *Paper* Fully plastic ductile tearing of HY130 steel—an analysis by *J*, COD, energy rate and crack opening angle, 257
DAVIES, R. *Paper* Analysis and design of adhesively modified double-containment corner joints. Part 1, 91
DRAGONI, E. *Paper* Simply supported annular plates transversely loaded by a concentrated force applied at an arbitrary point, 211

EDWARDS, P. D. *Paper* Modelling an orthopaedic knee prosthesis as a layered elastic system. Part 2: finite element analysis, 195

FENNER, R. T. *Paper* Contact mechanics analysis of frictional slip of inclusions embedded in dissimilar matrices using the boundary element method, 245

GRAY, T. G. F. *Paper* Closed-form functions for elastic stress concentration factors in notched bars, 143
GÜNGÖR, S. *Paper* Experimental stress intensity factors for cracks in a thin plate with stiffeners, 235

HILLS, D. A. *Papers* The solution of plane crack problems by dislocation dipole procedures, 21. The use of 'C'-shaped specimens to investigate the interlaminar fracture of woven composite laminates, 129
HOBBS, R. E. *Papers* Frictional performance of wire and fibre ropes bent over sheaves, 45. Relative movements within wire ropes bent over sheaves, 155. Changes in wire curvature as a wire rope is bent over a sheave, 271
HOGNESTAD, G. *Paper* The use of 'C'-shaped specimens to investigate the interlaminar fracture of woven composite laminates, 129
HOLDEN, T. M. *Paper* Neutron strain scanning of a small welded austenitic stainless steel plate, 35
HUANG, Y. J. *Paper* Shakedown of a CT specimen with St52 steel—experimental, analytical and numerical investigations, 283
HYDE, T. H. *Papers* An assessment of a model method for predicting the fracture of cracked components, 9. An experimental investigation of dynamic crack propagation, 175

JAMASRI *Paper* Mixed-mode stress intensity factors in finite, edge-cracked orthotropic plates, 83

KANG, W. P. *Paper* Neutron strain scanning of a small welded austenitic stainless steel plate, 35
KEUTER, J. M. *Paper* Residual stress investigations on a hot-rolled plane sandwich-type composite X5 Cr Ni 18 9–C45–X5 Cr Ni 18 9 by means of neutron diffraction, 15
KO, C. L. *Paper* Variational analysis for the steady state flexural behaviour of rotating orthotropic sandwich beams, 59
KORSUNSKY, A. M. *Paper* The solution of plane crack problems by dislocation dipole procedures, 21
KOSEL, F. *Technical note* The stress concentration of an open rotating ring, 241
KRAINCANIC, I. *Paper* Characteristics of fibre-core wire rope, 217

LEE, M. M. K. *Paper* A finite element study of stress fields and stress intensity factors in tubular joints, 135
LITTLE, E. G. *Papers* Modelling an orthopaedic knee prosthesis as a layered elastic system. Part 1: experimental and theoretical analyses, 185. Part 2: finite element analysis, 195

MILLS, G. *Paper* Neutron strain scanning of a small welded austenitic stainless steel plate, 35
MOTTERSHEAD, J. E. *Paper* Modelling an orthopaedic knee prosthesis as a layered elastic system. Part 2: finite element analysis, 195
MULCHANDANI, K. B. *Paper* Photoelastic investigation of stress intensification in the interacting nozzle attachment region of pressure vessels, 167

NABIJOU, S. *Papers* Frictional performance of wire and fibre ropes bent over sheaves, 45. Relative movements within wire ropes bent over sheaves, 155. Changes in wire curvature as a wire rope is bent over a sheave, 271
NISHITANI, T. *Technical note* Simple creep relation for a polymer that includes the effect of back stress, 79
NURSE, A. D. *Paper* Experimental stress intensity factors for cracks in a thin plate with stiffeners, 235

O'DONNELL, P. *Paper* Modelling an orthopaedic knee prosthesis as a layered elastic system. Part 1: experimental and theoretical analyses, 185
OGURA, H. *Technical note* Simple creep relation for a polymer that includes the effect of back stress, 79

PARK, Y. H. *Paper* Contact mechanics analysis of frictional slip of inclusions embedded in dissimilar matrices using the boundary element method, 245
PATTERSON, E. A. *Paper* Experimental stress intensity factors for cracks in a thin plate with stiffeners, 235
PAVIER, M. J. *Paper* Analytical and finite element predictions of residual stresses in cold worked fastener holes, 291
PETRUCCI, G. *Paper* Automated photoelasticity in white light: influence of quarter-wave plates, 29
POUSSARD, C. *Paper* Analytical and finite element predictions of residual stresses in cold worked fastener holes, 291
PRIESMEYER, H. G. *Paper* Residual stress investigations on a hot-rolled plane sandwich-type composite X5 Cr Ni 18 9–C45–X5 Cr Ni 18 9 by means of neutron diffraction, 15

RAFFAELLI, P. *Paper* An account of plasticity in the hole-drilling method of residual stress measurement, 227
RAOOF, M. *Paper* Characteristics of fibre-core wire rope, 217
REES, D. W. A. *Paper* Tensile flow and instability in galvanized, rolled steel sheet, 305

SCHRÖDER, J. *Paper* Residual stress investigations on a hot-rolled plane sandwich-type composite X5 Cr Ni 18 9–C45–X5 Cr Ni 18 9 by means of neutron diffraction, 15
SHUKLA, D. P. *Paper* Photoelastic investigation of stress intensification in the interacting nozzle attachment region of pressure vessels, 167
SMITH, D. J. *Paper* Analytical and finite element predictions of residual stresses in cold worked fastener holes, 291
SPENCE, J. *Paper* Closed-form functions for elastic stress concentration factors in notched bars, 143
STEIN, E. *Paper* Shakedown of a CT specimen with St52 steel—experimental, analytical and numerical investigations, 283

STROZZI, A. *Paper* Simply supported annular plates transversely loaded by a concentrated force applied at an arbitrary point, 211
SUETSUGU, M. *Technical note* Simple creep relation for a polymer that includes the effect of back stress, 79

TAFRESHI, A. *Paper* Numerical analysis of stresses at oblique holes in plates subjected to tension and bending, 317
THORPE, T. E. *Paper* Numerical analysis of stresses at oblique holes in plates subjected to tension and bending, 317
TOURNERY, F. *Paper* Closed-form functions for elastic stress concentration factors in notched bars, 143
TSUJI, M. *Technical note* Simple creep relation for a polymer that includes the effect of back stress, 79
TURNER, C. E. *Paper* Fully plastic ductile tearing of HY130 steel—an analysis by *J*, COD, energy rate and crack opening angle, 257

WALKER, C. A. *Paper* Mixed-mode stress intensity factors in finite, edge-cracked orthotropic plates, 83
WANG, J.-H. *Paper* Stress concentration due to shallow spherical surface hollows on a slab, 205
WANG, W.-C. *Paper* Theoretical and experimental analysis of an arbitrarily inclined semi-infinite crack terminated at the bimaterial interface, 117
WANG, X. D. *Paper* Neutron strain scanning of a small welded austenitic stainless steel plate, 35
WEBSTER, P. J. *Paper* Neutron strain scanning of a small welded austenitic stainless steel plate, 35
WHELAN, M. P. *Papers* Modelling an orthopaedic knee prosthesis as a layered elastic system. Part 1: experimental and theoretical analyses, 185. Part 2: finite element analysis, 195

YAGHI, A. *Papers* An assessment of a model method for predicting the fracture of cracked components, 9. An experimental investigation of dynamic crack propagation, 175

Subject Index

A FINITE ELEMENT STUDY OF STRESS FIELDS AND STRESS INTENSITY FACTORS IN TUBULAR JOINTS, *Paper*, 135
AN ACCOUNT OF PLASTICITY IN THE HOLE-DRILLING METHOD OF RESIDUAL STRESS MEASUREMENT, *Paper*, 227
Analysis:
  by *J*, COD, energy rate and crack opening angle, 257
  contact mechanics, 245
  finite element, 195
  numerical, 317
ANALYSIS AND DESIGN OF ADHESIVELY MODIFIED DOUBLE-CONTAINMENT CORNER JOINTS: PART 1, *Paper*, 91
ANALYTICAL AND FINITE ELEMENT PREDICTIONS OF RESIDUAL STRESSES IN COLD WORKED FASTENER HOLES, *Paper*, 291
AN ASSESSMENT OF A MODEL METHOD FOR PREDICTING THE FRACTURE OF CRACKED COMPONENTS, *Paper*, 9
AN EXPERIMENTAL INVESTIGATION OF DYNAMIC CRACK PROPAGATION, *Paper*, 175
Arbitrary point, 211
AUTOMATED PHOTOELASTICITY IN WHITE LIGHT: INFLUENCE OF QUARTER-WAVE PLATES, *Paper*, 29

Bars, notched, 143
Beams, rotating orthotropic sandwich, 59
Behaviour, steady state flexural, 59
Bending, 317
Bimaterial, 117
Boundary element method, 245

CHANGES IN WIRE CURVATURE AS A WIRE ROPE IS BENT OVER A SHEAVE, *Paper*, 271
CHARACTERISTICS OF FIBRE-CORE WIRE ROPE, *Paper*, 217
Closed-form functions, 143
CLOSED-FORM FUNCTIONS FOR ELASTIC STRESS CONCENTRATION FACTORS IN NOTCHED BARS, *Paper*, 143
COD, 257
Composites:
  hot-rolled plane sandwich type, 15
  X5 Cr Ni 18 9–C45–X5 Cr Ni 18 9, 15
Concentration factors, elastic stress in notched bars, 143
CONTACT MECHANICS ANALYSIS OF FRICTIONAL SLIP OF INCLUSIONS EMBEDDED IN DISSIMILAR MATRICES USING THE BOUNDARY ELEMENT METHOD, *Paper*, 245
Crack:
  arbitrarily inclined semi-infinite, 117
  dynamic, propagation, 175
  in a thin plate with stiffeners, 235
  opening angle, 257
  plane, 21
Creep, simple relation, 79
'C'-shaped specimens, 129
CT specimen, 283

Diffraction, neutron, 15
Digital fringe multiplication, 1
DIGITAL FRINGE MULTIPLICATION IN THREE-DIMENSIONAL PHOTOELASTICITY, *Paper*, 1
Dislocation dipole procedures, 21

Elastic, layered, 185, 195
Energy rate, 257
EXPERIMENTAL STRESS INTENSITY FACTORS FOR CRACKS IN A THIN PLATE WITH STIFFENERS, *Paper*, 235

Finite element:
  analysis, 195
  predictions, 291
  study, 135
Force, concentrated, 211
Fracture:
  interlaminar, 129
  of cracked components, 9
Frictional:
  performance, 45
  slip, 245

FRICTIONAL PERFORMANCE OF WIRE AND FIBRE ROPES BENT OVER SHEAVES, *Paper*, 45
FULLY PLASTIC DUCTILE TEARING OF HY130 STEEL—AN ANALYSIS BY *J*, COD, ENERGY RATE AND CRACK OPENING ANGLE, *Paper*, 257

Hole:
  cold worked fastener, 291
  oblique, in plates, 317
Hole-drilling, 227
Hollows, shallow spherical surface, 205

Inclusions, 245
Instability, 305
Intensity factors:
  mixed-mode stress, 83
  stress in tubular joints, 135
Interface, bimaterial, 117

J, 257
Joints:
  adhesively modified double-containment corner, 91
  tubular, 135

Laminates, woven composite, 129

Matrices, dissimilar, 245
Method, boundary element, 245
MIXED-MODE STRESS INTENSITY FACTORS IN FINITE, EDGE-CRACKED ORTHOTROPIC PLATES, *Paper*, 83
MODELLING AN ORTHOPAEDIC KNEE PROSTHESIS AS A LAYERED ELASTIC SYSTEM. PART 1: EXPERIMENTAL AND THEORETICAL ANALYSES, *Paper*, 185
MODELLING AN ORTHOPAEDIC KNEE PROSTHESIS AS A LAYERED ELASTIC SYSTEM. PART 2: FINITE ELEMENT ANALYSIS, *Paper*, 195
Multiplication, digital fringe, 1

Neutron:
  diffraction, 15
  strain scanning, 35
NEUTRON STRAIN SCANNING OF A SMALL WELDED AUSTENITIC STAINLESS STEEL PLATE, *Paper*, 35
Nozzle attachment region, 167
NUMERICAL ANALYSIS OF STRESSES AT OBLIQUE HOLES IN PLATES SUBJECTED TO TENSION AND BENDING, *Paper*, 317

PHOTOELASTIC INVESTIGATION OF STRESS INTENSIFICATION IN THE INTERACTING NOZZLE ATTACHMENT REGION OF PRESSURE VESSELS, *Paper*, 167
Photoelasticity:
  automated in white light, 29
  investigation, 167
  three-dimensional, 1
Plastic, fully, ductile tearing, 257
Plasticity, 227
Plates:
  finite, edge-cracked orthotropic, 83
  quarter-wave, 29
  simply supported annular, 211
  subjected to tension and bending, 317
  thin, with stiffeners, 235
  welded austenitic stainless steel, 35
Polymer, 79
Pressure vessels, 167
Prosthesis, orthopaedic knee, 185, 195

Relative movements, 155
RELATIVE MOVEMENTS WITHIN WIRE ROPES BENT OVER SHEAVES, *Paper*, 155
RESIDUAL STRESS INVESTIGATIONS ON A HOT-ROLLED PLANE SANDWICH-TYPE COMPOSITE X5 Cr Ni 18 9–C45–X5 Cr Ni 18 9 BY MEANS OF NEUTRON DIFFRACTION, *Paper*, 15
Ring, open rotating, 241

Ropes:
fibre-core wire, 217
wire, 155
wire and fibre, 45

Scanning, neutron strain, 35
SHAKEDOWN OF A CT SPECIMEN WITH St52 STEEL—EXPERIMENTAL, ANALYTICAL AND NUMERICAL INVESTIGATIONS, *Paper*, 283
Sheaves, 45, 155, 271
SIMPLE CREEP RELATION FOR A POLYMER THAT INCLUDES THE EFFECT OF BACK STRESS, *Technical note*, 79
SIMPLY SUPPORTED ANNULAR PLATES TRANSVERSELY LOADED BY A CONCENTRATED FORCE APPLIED AT AN ARBITRARY POINT, *Paper*, 211
Slab, 205
Slip, frictional, 245
Spherical surface hollows, 205
Steel:
austenitic stainless steel plate, 35
galvanized, rolled sheet, 305
HY130, 257
St52, 283
Strain, neutron scanning, 35
Stress:
back, 79
concentration, 205, 241
fields, 135
intensification, 167
intensity factors, 235
mixed-mode, 83
numerical analysis of, 317
residual, 15, 291
residual, measurement, 227
STRESS CONCENTRATION DUE TO SHALLOW SPHERICAL SURFACE HOLLOWS ON A SLAB, *Paper*, 205

Tearing, fully plastic ductile, 257
Tensile flow, 305
TENSILE FLOW AND INSTABILITY IN GALVANIZED, ROLLED STEEL SHEET, *Paper*, 305
Tension, 317
THEORETICAL AND EXPERIMENTAL ANALYSIS OF AN ARBITRARILY INCLINED SEMI-INFINITE CRACK TERMINATED AT THE BIMATERIAL INTERFACE, *Paper*, 117
THE SOLUTION OF PLANE CRACK PROBLEMS BY DISLOCATION DIPOLE PROCEDURES, *Paper*, 21
THE STRESS CONCENTRATION OF AN OPEN ROTATING RING, *Technical note*, 241
THE USE OF 'C'-SHAPED SPECIMENS TO INVESTIGATE THE INTERLAMINAR FRACTURE OF WOVEN COMPOSITE LAMINATES, *Paper*, 129

VIBRATIONAL ANALYSIS FOR THE STEADY STATE FLEXURAL BEHAVIOUR OF ROTATING ORTHOTROPIC SANDWICH BEAMS, *Paper*, 59

Wire:
and fibre ropes, 45
curvature, 271
fibre-core ropes, 217
ropes, 155, 271